

**PATENT** 

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT

Gerald T. Mearini, Ph.D

MARK

HIGH THROUGHPUT HIGH-YIELD

**VACUUM DEPOSITION SYSTEM FOR** 

THIN FILM BASED DENSE WAVELENGTH DIVISION

**MULTIPLEXERS** 

SERIAL NO.

09/902,250

**FILED** 

July 10, 2001

ATTORNEY DOCKET NO.

0937.0016

\*

Akron, Ohio 44308-1136

September 10, 2001

### CERTIFICATE OF MAILING

I hereby certify that this **NOTICE TO FILE CORRECTED APPLICATION PAPERS** is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner of Patents and Trademarks, Washington, DC 20231, on this (a) day of Solan here 2001.

Janet E. Sigler

Commissioner of Patents

and Trademarks

Washington, D.C. 20231

# NOTICE TO FILE CORRECTED APPLICATION PAPERS

Dear Sirs:

Enclosed are the substitute drawings in compliance with the Notice to File Corrected Application Paper of August 28, 2001.

Check to cover the filing fee (37 C.F.R. 1.16(a) et seq.), and the surcharge set forth in 37 C.F.R. 1.16(e).

The Commissioner is hereby authorized to charge payment of any additional fees due to credit any overpayment to Deposit Account No. 05-0875. A duplicate copy of this sheet is enclosed.

Having now complied with all of the requirements of 37 C.F.R. 1.53, applicant respectfully requests that this application be placed upon the files for examination.

Respectfully submitted,

**EMERSON & SKERIOTIS** 

September 10, 2 and

Daniel A. Thomson, Esq.

Reg. No. 43,189

One Cascade Plaza- Fourteenth Floor

Akron, Ohio 44308-1136

(330) 535-9999

L:\0900-0999\937\0016\PTO\010910.dat.MISSING PARTS.PTO.doc



The same that

#

THE A THE







## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS UNITED STATES PATENT AND TRADEMARK OFFICE WASHINGTON, D.C. 20231 www.uspto.gov

FIRST NAMED APPLICANT ATTORNEY DOCKET NUMBER APPLICATION NUMBER FILING/RECEIPT DATE Gerald T. Mearini

07/10/2001 09/902,250

0937.0016

**CONFIRMATION NO. 9551** 

FORMALITIES LETTER 

Daniel A. Thomson, Esq. Fourteenth Floor \*OC000000006488068\*

One Cascade Plaza Akron, OH 44308-1147

Date Mailed: 08/28/2001

#### NOTICE TO FILE CORRECTED APPLICATION PAPERS

### Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice <u>MUST</u> be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE